
# HOMOGENEOUSLY SMOOTH AND POLISHED SURFACES FOR DENTAL LABORATORIES








# PERFECT WORKFLOW IN DENTAL LABORATORIES

COST-EFFECTIVENESS AND HIGH-QUALITY RESULTS

### **Best results with OTEC**







# Content

OTEC SOLUTIONS FOR DENTAL LABORATORIES	2 -
ELECTRO FINISHING APPLICATIONS	4 -
ELECTRO FINISHING WITH EF-SMART T	6 - 1
ELECTRO FINISHING OPERATING PRINCIPLE	8 -
MASS FINISHING APPLICATIONS	10 - 1
MASS FINISHING WITH ECO-MAXI	12 - 1
MASS FINISHING WITH CF-MACHINES	14 - 1
MASS FINISHING OPERATING PRINCIPLE	16 - 1
OTEC PRODUCTS AND SERVICES	18 - 1

As a reliable global partner for perfect surfaces, OTEC develops and manufactures machines for high-end finishing of dental parts which set innovative standards in the industry and achieve optimal process reliability. The automation of manual processing steps delivers optimal results of consistent quality and minimal process times.

Smooth surfaces even in hard-to-reach areas, a perfect shine and homogeneous, repeatable results are crucial for ensuring comfort for patients. OTEC is your partner for surface finishing and helps you to automate time-consuming, manual tasks in your laboratory.

The OTEC solutions for dental laboratories are "Made in Germany" and stand for high-end process results, high-quality components and low-maintenance operation.



Splints p. 12 | 13

# EFFICIENCY IN PERFECTION THE OTEC ELECTRO FINISHING APPLICATIONS



### **Electro Finishing Applications**

### The OTEC Electro Finishing Technology for cobaltchromium offers high-end quality with absolute process reliability

The high dental technology requirements for homogeneous, high-gloss surfaces can be easily met even in hard-to-reach areas using the compact OTEC Electro Finishing Machine EF-Smart T. It enables precise finishing of dental objects – smoothing, polishing and deburring – without the smallest of scratch marks and waviness in a repeatable process without compromising tolerances or geometries. With this process, OTEC has developed a gentle, precise and reliable solution to meet the high requirements of the industry – with a considerably more cost-effective result. Both process costs and workload can be drastically reduced.

A process tailored to the specific material and the machine ensures that the EF-Smart T delivers perfect results for meeting the most diverse requirements for dentures, implant systems or orthodontic workpieces. The process smooths and polishes the surface of the workpieces, increases corrosion resistance and reduces surface roughness. The result achieves significant added value thanks to machining. The unique OTEC Electro Finishing Process replaces three manual work steps in the dental technician's workflow: buffing, pre-polishing and electrofinishing. The resulting time saving is huge and can significantly increase the added value in the laboratory.

# See the benefits for yourself and test the successful OTEC Electro Finishing Technology

- No manual work such as buffing, pre-polishing and electrofinishing
- Process time reduced by 70%
- Uniform polishing even in hard-to-reach areas
- No compromise on tolerances or geometries
- Reproducible, stable and sustainable processes
- Compact, cost-effective and ergonomic machine
- Uncontaminated working conditions thanks to acid-free processes

As experienced solution providers, the OTEC experts develop the ideal process with the right parameters and the required abrasives for your specific workpiece! Send us your workpieces and get on-site advice from our worldwide sales partners.

### Removable dentures

No compromise on geometries required for that perfect fit.
Homogeneous smoothing and polishing of the entire component, particularly on the inner surfaces of clasps. Processing even in the smallest corners and details.

Process time: 15-20 minutes
Capacity: 3 workpieces/process



### Crowns and bridges

Excellent smoothing and polishing of occlusal surfaces – even fissures. Removal of milling grooves. But the side facing the dentine is not processed.

Process time: 15-20 minutes
Capacity: 12 workpieces/process



### **Orthodontics**


Fast smoothing and polishing of delicate structures. Stable processes ensure repeatably accurate results. Gentle processing prevents any damage to components.

Process time: 10-15 minutes Capacity: 3 parts/process



### Suprastructures

Gentle, selective processing allows the removal of milling grooves and protects the areas that ensure a perfect fit. Minimal removal of material without compromising the fit. Process time: 5-10 minutes





## Working on pre-veneered surfaces

Pre-veneered dentures can be polished because only metallic conductive surfaces are processed depending on the process. Acrylic-veneered areas are unaffected.

Process time: 15-20 minutes
Capacity: 3 workpieces/process



# EF-SMART T -ADDED VALUE FOR YOUR LABORATORY

SIMPLE, PRECISE AND RELIABLE










### Easy to use

### Load and start the machine in less than 1 minute

The EF-Smart T was designed so that it can be integrated easily into the technician's existing workflow. In addition to its low operating noise and intuitive operation, the focus was also on simple and ergonomic handling. As a result, the machine can be loaded with 3 workpieces and the process can be started in less than 1 minute:

- Clamp workpieces
- Close the cover
- Select program

Clear time saving for the technician thanks to fast and easy handling.



### Precise, fast and gentle on workpieces

### High-gloss in less than 30 minutes

The process, which is designed for cobalt-chromium alloys, gives a precise surface finish after a process time of just 10-30 minutes. The shape of the workpieces is untouched, and tolerances are not compromised. The abrasive circulates gently and homogeneously around the surfaces, thereby achieving smoothing and polishing effects even in hard-to-reach areas and on the inner surfaces of the clasps.

Work in the laboratory can be performed in parallel using the OTEC EF-Smart T. Up to 3 RPD's or 12 can be processed at the same time.

### **OTEC EF-Smart T at a glance**

The OTEC EF-Smart T is impressive with its compact design, low operating noise and intuitive operation. It delivers reproducible high-quality results. The Plug & Play principle allows fast and easy integration in your laboratory.

Homogeneous, perfectly smooth surfaces are obtained with a significantly reduced workload. The EF-Smart T is the perfect precursor for automated processes. Thanks to the Industry 4.0 Ready package, which is integrated as standard, the processes can be monitored and controlled digitally.

Up to 12 workpieces/process

Process time of 10-30 minutes

3 process steps in 1

Intuitive operation

Industry 4.0 Ready

Low-noise process

Sustainable processes

Plug & Play principle

EF Smart T Application Video



### Reliable and digitalised

### Ready for standardised processes

The OTEC EF-Smart T enables constant, reproducible production processes for standardising and automating the high quality requirements of the dental industry. Digital features such as Media Monitoring guarantee maximum process control. Other digital features include Media Activation for guaranteed machine, process and operating reliability.

- Intuitive operation via touch panel
- Automated program sequences
- Remote control and remote maintenance
- Media Activation





### **Reduces manual preparation of components** to a minimum

### Manual preparation reduced by more than 70%

The optimised process sequence of the EF-Smart T reduces pre- and post-processing of the workpieces to a minimum and saves expendable tools.

### **Recommended preparation of parts**

- Remove cast channels and support structures
- Blast the workpiece to remove the oxide layer
- Homogenise and activate the surface


The EF-Smart T replaces three very time-consuming manual work steps - buffing, pre-polishing and electrofinishing - reducing preparatory work in the laboratory by more than 70%.




## **ELECTRO FINISHING**

**A SHINING** SUCCESS WITH SUSTAINABLE **TECHNOLOGY** 

### The process in detail





It is based on a specially developed suspension made up of functional particles and ionic liquids in a process container in which the workpiece is immersed. When a defined power source is applied, this produces an electrical potential between the cathode (-) and anode/workpiece (+).

This results in a electrochemical reaction (ion transfer). lons are released from the surface of the workpiece and absorbed by the functional particles. The perfectly matched abrasives and the defined size of the functional particles ensure that roughness peaks are mainly reduced.

The controlled chemical reactions and the targeted circulation allow perfect smoothing and produce a homogeneous shine even on the smallest radii.

### The OTEC Electro Finishing Process for CoCr high-gloss results in the dental industry

Unlike conventional electrochemical polishing, this technology involves the workpieces moving (rotating) through the abrasive, thereby ensuring that the abrasive is circulated uniformly around

The OTEC Electro Finishing Technology uses special polymer particles that are in suspension with an ionic conductive liquid. The OTEC portfolio includes a range of perfectly matched products in order to guarantee optimal and efficient processes.

### **EF-Smart T set-up**







The inner areas of RPD's are also smoothed and polished by the EF-Smart T.



→ Precise smoothing in hard-to-reach areas

→ Homogeneous shine over the entire component





→ Gentle process, perfect for delicate components

# THE OTEC MASS FINISHING APPLICATIONS SPEED AND PRECISION



# Automate manual tasks in your laboratory with the OTEC grinding and polishing systems

Smoothly polished surfaces and rounded edges on splints, aligners and dentures are essential for ensuring comfort for patients. These essential properties are achieved even in hard-to-reach areas using the time-saving OTEC Mass Finishing Machines.

Previous manual and often very time-consuming processes can be substituted in this way and can be performed using automated processes in future – with consistent high-end results.

The perfect interaction of highly efficient machine technology and specially adapted abrasives and parameters means that many workpieces can be cleaned, smoothed and polished precisely at the same time. Milling grooves and 3D printing structures are reliably removed, and the surface is smoothed and polished. This saves a considerable amount of time for the technician when it comes to performing often very time-consuming tasks.

# Successful OTEC Mass Finishing Processes are impressive with their precise high performance

- Machining with no manual rework
- Targeted polishing of hard-to-reach areas
- Reproducible and stable processes
- Ergonomic design and easy-to-handle machines
- Quick return on investment thanks to low process costs and automation of manual processes
- Compact design as table-top and stand-alone machine
- Sustainable production by reducing the workload for employees and substituting processes that pose health risks
- Technology that has been tried and tested thousands of times – now validated for the workflow in dental laboratories

As experienced solution providers, the OTEC experts develop the ideal process with the right parameters and the required abrasives for your specific workpiece! Send us your workpieces and get on-site advice from our worldwide sales partners.



### Mass Finishing Technology applications

### **Splints**

Excellent smoothing and polishing of occlusal surfaces – even fissures. For perfect patient comfort, without changing the shape of the dental arch and areas that ensure a perfect fit. Absolutely no compromise on transparency.

Process time: approx. 2 hours



### Aligners

Smooth surfaces and rounding of the edges thanks to automated deburring – for a comfortable fit. Absolutely no compromise on the transparent look.

Process time: approx. 1 hour



### **Denture cleaning**

Thorough yet gentle cleaning with shining and polishing effects even in hard-to-reach areas – without changing the shape. All residues, e.g. tartar, are completely removed. Process time: approx. 20 minutes



# ECO-MAXI -CONVINCINGLY **VERSATILE COST-EFFECTIVE AND EFFICIENT**















### **OTEC Eco-Maxi at a glance**

The popular OTEC Eco-Maxi offers maximum flexibility when it comes to selecting the processing option with its quick and easy container changes. The compact table-top machine is impressive with low acquisition costs and a convenient Plug & Play principle.

Depending on the processing objective, the "basic" model can be operated either with the "wet" or "magnetic" container. The drive unit optimally supports both processes. The "wet" container is particularly suitable for smoothing and polishing bite splints and deburring aligners. The "magnetic" container is particularly good for cleaning used dentures. The modular design concept of the Eco-Maxi is ideal for up to 15 workpieces per day. The CF-Series is recommended for larger batches because it can process up to 30 workpieces/batch (p. 14/15).



Up to 5 workpieces/process

1 machine for 3 indications

Process time of 1-3 hours

Easy to use

Modular design concept

Fast container changes

Plug & Play principle







### Finishing small batches economically and efficiently

### OTEC Eco-Maxi "magnetic" | "wet"

With the Eco-Maxi, up to 4 manual work steps can be performed in one machine - cleaning, pre-grinding, fine grinding and polishing. Post-processing is automated, and a perfect finish is guaranteed.

### Advantages of the OTEC Eco-Maxi system

- Maximum flexibility several processes with just one machine
- Switch quickly between the various processes thanks to tool-free container changes
- Plug & Play principle
- Compact table-top machine
- Cost-effective even when processing only a few workpieces per day

Cost-effective solution, recommended for laboratories processing up to 15 workpieces/day



### **Perfect workpiece surfaces** of consistent quality

### Bite splints | aligners | dentures 3 workpieces in 1 machine

Maximum comfort for patients is the primary processing objective. The surfaces are cleaned or smoothed and polished gently and homogeneously even in the smallest angles. Shape-retaining elements are not compromised.

### Comfort results with OTEC

- Deburring and targeted edge rounding for aligners the finely tuned process removes all residues from the aligner and rounds the edges
- Smoothing and polishing bite splints a two-step process removes structures in the surface without a trace and rounds the edges
- Cleaning dentures a magnetic needle cleaning process cleans all residues even in difficult areas and re-polishes the surface

Reproducible, consistently high-quality results



### Established, highly efficient and reliable system for series production

### Configure the number of containers you need depending on your production volume

The proven OTEC CF-Technology for highly efficient deburring, smoothing and polishing. Up to three manual work steps can be performed in one machine. Postmachining and a perfect finish even when processing large quantities.

### Advantages of the OTEC CF-Machines

- High output with up to 30 bite splints/batch
- Ergonomic machine concept for fast batch changes
- Process up to 3 production batches at the same time
- Reproducible and stable processes
- Option for batch tracing and monitoring processrelevant data
- Digitalised production: monitoring and controlling of process-relevant parameters
- Low-maintenance machines with high availability

Industrial, cost-effective standard in dental laboratories



### Material-independent, reproducible and first-class surface finishing for series production

### Bite splints | aligners 2 workpieces in 1 machine

Surface finishing using the CF-Series guarantees maximum comfort for patients. Even large numbers of workpieces can be finished to a consistently high quality in a reproducible process using the CF-Technology.

### Proven OTEC Technology for the most demanding requirements

- Deburring and targeted edge rounding for aligners the finely tuned process removes all residues from the aligner and rounds its edges
- Smoothing and polishing bite splints a two-step process removes structures in the surface without a trace and rounds the edges

Reproducible, consistently high-quality results

### **OTEC CF-Machines at a glance**

The company originally started with the proven OTEC CF-Technology, which has been in existence now for more than 25 years. The high-quality and carefully selected components and the perfected design ensure low-maintenance operation. The workpiece surfaces are finished cleanly and highly efficiently. With its modular machine concept, OTEC offers solutions tailored to a wide variety of customer requirements.

The CF-Machines allow efficient processing of very sensitive workpieces in large quantities. Up to 30 bite splints or aligners can be processed in each process container. This highperformance, intuitive machine is the perfect and reliable new addition to your laboratory. The proven OTEC CF-Machines are available with 1, 2 or 3 containers, depending on the number of workpieces.







Up to 30 workpieces/batch

1 machine for 2 processes

1 to 3 process containers

Intuitive operation

Ergonomic handling

Industry 4.0 Ready

Low-maintenance machine




MASS FINISHING WITH CF-MACHINES | PAGE 14 - 15



Easy-to-empty container



Reliable separation of workpieces



# PRECISION FINISHING SOLUTIONS

A SHINING SUCCESS – EXACTLY WHAT YOU WANT









OTEC Finishing Center

### **OTEC** is "Made in Germany"

### We provide a solution tailored to your requirements

OTEC has three machine series in its portfolio for the dental industry in order to provide the best possible solution in terms of quality and value for money. With more than 25 years of experience, OTEC is the right partner if you have questions about machine surface finishing of dental applications.

### Optimal processes tailored to

- Production volume
- Workpiece geometry and material
- Workpiece requirements

### OTEC machines stand for reliable processes

OTEC machines are developed, designed and made entirely in Germany. The technology has been tried and tested over many years and is used reliably in many industries. The OTEC solutions include an overall concept tailored specifically to individual customer applications as well as abrasives and process parameters. The process specialists work together with the customer as part of their free, non-binding sample processing service to develop the best possible solutions for every application. OTEC is your reliable partner for perfect results.

### Sales partners worldwide

# Customer proximity and competence thanks to experienced dental retailers

OTEC relies on qualified partners with the objective of developing synergies between surface processing and dental technology. Competence, reliability and experience are combined to guarantee the best possible workflow in the laboratory.

### Competence on site

- Qualified experts for individual needs
- Competence based on experience
- The latest technologies on site

OTEC is always interested in expanding its network of partners in this area. If you are interested in collaborating with us in the area of sales and marketing, please contact us.

Find your local partner

### OTEC focuses on sustainability

# Better working conditions and sustainable processes for your laboratory

Avoiding disturbing sources of noise and hazardous substances (gases, dust, fumes) are important factors for ensuring a good working environment. Both dust and toxic substances as well as the time and effort required for manual polishing are significantly reduced by substituting manual work steps and toxic electropolishing baths. This also involves using "silent" equipment that does not interfere with everyday laboratory work.

### Corrosion-resistant and biocompatible

In addition to smoothing and polishing the surface, the Electrofinishing Technology also increases its corrosion resistance. This increases its durability and quality. The machines and technologies also comply with all required standards in the medical technology field in that they do not bring about any change in material properties. This means that the biocompatibility\* of the alloys as guaranteed by the manufacturers remains unaffected.

### Safety is assured through tested processes

The Medical Device Regulation (MDR) stipulates the need to fully document all procedures and processes. The OTEC range of machines gives you the ideal basis for this. By identifying an optimal process sequence with all the relevant parameters, it is possible to create processing routines and comply with the required standards at the same time.

### **Full service partner**

### Looking for training and advice?

Regular events organised as part of the OTEC Campus, such as seminars, in-house training courses, lectures and other events provide customers with information about the latest developments as well as tips and tricks for the various applications. This know-how in perfecting surfaces is backed by 25 years of experience and gives customers a decisive competitive advantage. Keep up-to-date with the latest news and developments with the OTEC Newsletter!

### Digitalised production

With the OTEC Industry 4.0 digitalisation packages, there is nothing standing in the way of transparent and monitored production. Whether you want remote maintenance or individual condition monitoring, the digital integration of the machines offers the ideal basis for optimising your production.

### On-site and digital service

OTEC as an established partner, even at the customer site, stands for close proximity and fast response times. Direct contact with the service experts guarantees fast and sustainable problem-solving for the individual needs of customers.

All services can be found at: www.otec.de/en



**EF-Smart T** 





Disc Finishing Machines (CF 3x18)

\* Materials or assemblies that do not have a negative effect on a living system in its environment are referred to as biocompatible. The biocompatibility of implants is particularly relevant because they are in direct contact with living tissue over a long period of time.









